* .	Application No.	Applicant(s)
Notice of Allowability	10/811,495	CRAIG, RICHARD
	Examiner	Art Unit
	Kent L. Bell	1661
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to application	filed 3/26/04	
2. The allowed claim(x) is/are THE CLAIM		
3. X The drawings filed on 3/26/04 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☒ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	te

Serial Number: 10/811,495

Art Unit: 1661

Detailed Action

Examiner's Amendment

Page 1

An Examiner's Amendment to the record appears below. Should the changes and/or

additions be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312.

To ensure consideration of such an amendment, it Must be submitted no later than the payment

of the Issue Fee.

Examiner's Amendment Authorized

Authorization for this Examiner's Amendment was given in a telephone interview with

Attorney Patricia Olosky on September 27, 2004.

Amendment to the Specification:

The Specification has been amended as follows:

A. Page 2, line 28, "Figs. 2 and 3 are flow charts of the pedigree of the new cultivar." has

been deleted and the following has been inserted in its place:

-- Fig. 2 shows the pedigree of the pistillate parent; and

Fig. 3 shows the pedigree of the staminate parent.--.

B. Page 3, line 4, "by Olgevee, Ltd." has been deleted.

Serial Number: 10/811,495

Art Unit: 1661

Detailed Action

- C. Page 3, after line 12, before line 13, --Diameter: 20 cm to 26 cm-- has been inserted.
- D. Page 3, line 16, --5.2 cm to 8.5 cm long-- has been inserted after "across".
- E. Page 3, line 17, "Reinform" has been deleted and --Reniform-- has been inserted in its place.
- F. Page 3, line 21, "Top" has been deleted and --Upper surface-- has been inserted in its place.
- G. Page 3, line 22, "Bottom" has been deleted and --Lower surface-- has been inserted in its place.
- H. Page 4, after line 2, before line 3, --Length:
 6.0 cm to 8.0 cm.-- has been inserted.
- I. Page 4, after line 6, before line 7, --Buds per cluster: 3 to 12.-- has been inserted.

Art Unit: 1661

Detailed Action

- J. Page 4, lines 8 and 10, "florets" has been deleted and --flowers-- has been inserted in its place.
 - K. Page 4, line 8, --3 to 12 flowers per inflorescence-- has been inserted in its place.
 - L. Page 4, line 9, "Floret" has been deleted and --Flower-- has been inserted in its place.
- M. Page 4, line 16, "Florets" has been deleted and --Flowers-- has been inserted in its place.
- N. Page 4, line 22, "Top" has been deleted and --Upper surface-- has been inserted in its place.
- O. Page 4, line 24, "Bottom" has been deleted and --Lower surface-- has been inserted in its place.
 - P. Page 5, line 1, --blotch (upper surface)-- has been inserted after "Feather".
 - Q. Page 5, line 10, "floret" has been deleted and --flower-- has been inserted in its place.

Serial Number: 10/811,495

Art Unit: 1661

Detailed Action

R. Page 5, line 15, "unusual" has been deleted.

S. Page 6, line 9, --known to the inventor-- has been inserted after "class".

Future Correspondence

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Kent L. Bell whose telephone number is (571) 272-0973. The Examiner can normally be reached Monday through Thursday from 6:00 am to 4:30 pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Andrew Wang, can be reached at (571) 272-0811.

The fax phone number for the group is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-1600.

K. L. Bell

KENT BELL PRIMARY EXAMINER

Page 4

Kent & Bell